

Artikal	Dimenzija	Model/profil	KM -PDV	KM +PDV	EU-std	Note
T429698	155/80 R13 79T	NOKIAN iLINE	94	110	C, C, 67 (
T429699	155/70 R13 75T	NOKIAN iLINE	90	105	C, C, 67 (
T429700	165/70 R13 79T	NOKIAN iLINE	94	110	C, C, 67 (
T429701	175/70 R13 82T	NOKIAN iLINE	101	118	C, C, 67 (
T429702	165/70 R14 81T	NOKIAN iLINE	104	122	C, C, 67 (
T429703	175/70 R14 84T	NOKIAN iLINE	127	149	C, C, 67 (
T429704	185/70 R14 88T	NOKIAN iLINE	141	165	C, C, 67 (
T429705	155/65 R14 75T	NOKIAN iLINE	104	122	C, C, 67 (
T429706	165/65 R14 79T	NOKIAN iLINE	103	121	C, C, 67 (
T429707	175/65 R14 82T	NOKIAN iLINE	99	116	C, C, 67 (
T430783	175/65 R14 82T	NOKIAN WETPROOF	102	119	C, A, 66 (
T429708	185/65 R14 86T	NOKIAN iLINE	117	137	C, C, 67 (
T429709	175/65 R15 84T	NOKIAN iLINE	110	129	C, C, 67 (
T430784	175/65 R15 84H	NOKIAN WETPROOF	127	149	C, A, 66 (
T429710	185/65 R15 88T	NOKIAN iLINE	117	137	C, C, 67 (
T429711	185/65 R15 88H	NOKIAN iLINE	133	156	C, C, 67 (
T430785	185/65 R15 88H	NOKIAN WETPROOF	127	149	C, A, 66 (
T429859	185/65 R15 92H XL AA	NOKIAN eLINE 2	162	190	A, A, 68 (
T429713	195/65 R15 91T	NOKIAN iLINE	111	130	C, C, 68 (
T429712	195/65 R15 91H	NOKIAN iLINE	113	132	C, C, 68 (
T430786	195/65 R15 91H	NOKIAN WETPROOF	114	133	B, A, 68 (
T430788	195/65 R15 91V	NOKIAN WETPROOF	122	143	B, A, 68 (
T429861	195/65 R15 95H XL AA	NOKIAN eLINE 2	154	180	A, A, 68 (
T430787	195/65 R15 95H XL	NOKIAN WETPROOF	141	165	B, A, 68 (
T429714	205/65 R15 94H	NOKIAN iLINE	177	207	C, C, 68 (
T429715	215/65 R15 96H	NOKIAN iLINE	177	207	C, C, 68 (
T429717	185/60 R14 82T	NOKIAN iLINE	105	123	C, C, 67 (
T429716	185/60 R14 82H	NOKIAN iLINE	108	126	C, C, 67 (
T429718	185/60 R15 84H	NOKIAN iLINE	128	150	B, C, 67 (
T429860	185/60 R15 88H XL AA	NOKIAN eLINE 2	167	195	A, A, 68 (
T430789	185/60 R15 88H XL	NOKIAN WETPROOF	134	157	C, A, 66 (
T429719	195/60 R15 88H	NOKIAN iLINE	124	145	C, C, 68 (
T430790	195/60 R15 88H	NOKIAN WETPROOF	131	153	C, A, 68 (
T430791	195/60 R15 88V	NOKIAN WETPROOF	137	160	C, A, 68 (
T430792	205/60 R15 91V	NOKIAN WETPROOF	182	213	C, A, 68 (
T430797	195/60 R16 89H	NOKIAN WETPROOF	220	257	B, A, 68 (
T430798	205/60 R16 92H	NOKIAN WETPROOF	178	208	C, A, 68 (
T430799	205/60 R16 96V XL	NOKIAN WETPROOF	206	241	B, A, 68 (
T430800	215/60 R16 99H XL	NOKIAN WETPROOF	241	282	C, A, 68 (
T430801	215/60 R16 99V XL	NOKIAN WETPROOF	246	288	C, A, 68 (
T429863	215/60 R16 99W XL AA	NOKIAN eLINE 2	289	338	A, A, 68 (
T430802	225/60 R16 102W XL	NOKIAN WETPROOF	296	346	B, A, 68 (
T430793	185/55 R15 86H XL	NOKIAN WETPROOF	165	193	B, A, 66 (
T430794	195/55 R15 85H	NOKIAN WETPROOF	179	209	C, A, 68 (
T430795	195/55 R15 85V	NOKIAN WETPROOF	185	216	C, A, 68 (

Artikal	Dimenzija	Model/profil	KM -PDV	KM +PDV	EU-std	Note
T430803	195/55 R16 87H	NOKIAN WETPROOF	169	198	C, A, 68 (
T430804	195/55 R16 87V	NOKIAN WETPROOF	182	213	C, A, 68 (
T429720	205/55 R16 91H	NOKIAN iLINE	130	152	C, C, 68 (
T430805	205/55 R16 91H	NOKIAN WETPROOF	127	149	C, A, 68 (
T430806	205/55 R16 91V	NOKIAN WETPROOF	130	152	C, A, 68 (
T430809	205/55 R16 91W Flat Run	NOKIAN WETPROOF	165	193	E, A, 68 (
T430807	205/55 R16 94V XL	NOKIAN WETPROOF	154	180	B, A, 68 (
T429862	205/55 R16 94W XL AA	NOKIAN eLINE 2	190	222	A, A, 68 (
T430808	205/55 R16 94W XL	NOKIAN WETPROOF	157	184	B, A, 68 (
T430810	215/55 R16 93H	NOKIAN WETPROOF	219	256	C, A, 68 (
T430811	215/55 R16 97V XL	NOKIAN WETPROOF	226	264	B, A, 68 (
T430812	215/55 R16 97W XL	NOKIAN WETPROOF	230	269	B, A, 68 (
T430813	225/55 R16 99W XL	NOKIAN WETPROOF	262	307	B, A, 68 (
T430819	205/55 R17 95V XL	NOKIAN WETPROOF	223	261	B, A, 68 (
T430820	215/55 R17 94V	NOKIAN WETPROOF	254	297	C, A, 68 (
T430828	215/55 R17 98W XL	NOKIAN POWERPROOF	256	300	C, A, 69 (
T430829	225/55 R17 97W Flat Run	NOKIAN POWERPROOF	316	370	E, A, 68 (
T430830	225/55 ZR17 101Y XL	NOKIAN POWERPROOF	253	296	C, A, 69 (
T430831	235/55 ZR17 103Y XL	NOKIAN POWERPROOF	262	307	C, A, 72 ((
T430827	195/55 R20 95H XL	NOKIAN WETPROOF	201	235	B, A, 68 (
T429721	195/50 R15 82H	NOKIAN iLINE	119	139	C, C, 68 (
T430796	195/50 R15 82V	NOKIAN WETPROOF	126	147	B, A, 68 (
T430814	195/50 R16 88V XL	NOKIAN WETPROOF	226	264	C, A, 68 (
T430815	205/50 R16 87V	NOKIAN WETPROOF	212	248	C, A, 68 (
T430816	225/50 R16 92W	NOKIAN WETPROOF	253	296	C, A, 68 (
T430821	205/50 R17 93W XL	NOKIAN WETPROOF	227	266	B, A, 68 (
T430832	205/50 ZR17 93Y XL	NOKIAN POWERPROOF	208	243	B, A, 69 (
T430822	215/50 R17 95V XL	NOKIAN WETPROOF	226	264	B, A, 68 (
T430833	215/50 R17 95W XL	NOKIAN POWERPROOF	251	294	B, A, 69 (
T430834	225/50 R17 94W Flat Run	NOKIAN POWERPROOF	304	356	E, A, 68 (
T430823	225/50 R17 98V XL	NOKIAN WETPROOF	247	289	C, A, 68 (
T430836	225/50 R17 98W XL	NOKIAN POWERPROOF	249	291	C, A, 69 (
T430835	225/50 ZR17 98Y XL	NOKIAN POWERPROOF	251	294	C, A, 69 (
T431021	215/50 R18 92W	NOKIAN WETPROOF	247	289	C, A, 68 (
T430846	225/50 R18 99W XL	NOKIAN POWERPROOF	304	356	C, A, 69 (
T430847	235/50 ZR18 101Y XL	NOKIAN POWERPROOF	316	370	B, A, 72 ((
T430849	245/50 R18 100W Flat Run	NOKIAN POWERPROOF	363	425	E, A, 71 ((
T430848	245/50 ZR18 100Y	NOKIAN POWERPROOF	314	367	C, A, 71 ((
T430817	195/45 R16 84V XL	NOKIAN WETPROOF	160	187	C, A, 68 (
T430818	215/45 R16 90V XL	NOKIAN WETPROOF	241	282	B, A, 68 (
T430824	205/45 R17 88W XL	NOKIAN WETPROOF	221	259	C, A, 68 (
T430825	215/45 R17 91W XL	NOKIAN WETPROOF	197	230	C, A, 68 (
T430837	215/45 ZR17 91Y XL	NOKIAN POWERPROOF	198	232	C, A, 69 (
T430838	225/45 R17 91W Flat Run	NOKIAN POWERPROOF	194	227	E, A, 68 (
T430840	225/45 ZR17 91Y	NOKIAN POWERPROOF	176	206	C, A, 68 (

Artikal	Dimenzija	Model/profil	KM -PDV	KM +PDV	EU-std	Note
T430826	225/45 R17 94W XL	NOKIAN WETPROOF	168	197	C, A, 68 (
T430839	225/45 ZR17 94Y XL	NOKIAN POWERPROOF	187	219	C, A, 69 (
T430842	235/45 ZR17 94Y	NOKIAN POWERPROOF	194	227	C, A, 71 ((
T430841	235/45 ZR17 97Y XL	NOKIAN POWERPROOF	199	233	C, A, 72 ((
T430843	245/45 ZR17 99Y XL	NOKIAN POWERPROOF	248	290	C, A, 72 ((
T430851	225/45 ZR18 91Y Flat Run	NOKIAN POWERPROOF	304	356	E, A, 68 (
T430850	225/45 ZR18 95Y XL	NOKIAN POWERPROOF	258	302	C, A, 69 (
T430852	235/45 ZR18 98Y XL	NOKIAN POWERPROOF	281	329	C, A, 72 ((
T430853	245/45 ZR18 96Y Flat Run	NOKIAN POWERPROOF	318	372	E, A, 71 ((
T430854	245/45 ZR18 100Y XL	NOKIAN POWERPROOF	265	310	C, A, 72 ((
T430855	255/45 ZR18 103Y XL	NOKIAN POWERPROOF	351	411	C, A, 72 ((
T430861	225/45 R19 96W XL	NOKIAN POWERPROOF	353	413	C, A, 69 (
T430862	235/45 R19 99W XL	NOKIAN POWERPROOF	407	476	C, A, 72 ((
T430863	245/45 ZR19 102Y XL	NOKIAN POWERPROOF	346	405	C, A, 72 ((
T430864	255/45 ZR19 104Y XL	NOKIAN POWERPROOF	405	474	B, A, 72 ((
T430844	215/40 R17 87W XL	NOKIAN POWERPROOF	230	269	C, A, 69 (
T430845	245/40 ZR17 95Y XL	NOKIAN POWERPROOF	239	280	C, A, 72 ((
T430856	225/40 ZR18 92Y XL	NOKIAN POWERPROOF	182	213	C, A, 69 (
T430857	235/40 ZR18 95Y XL	NOKIAN POWERPROOF	230	269	C, A, 72 ((
T430858	245/40 ZR18 97Y XL	NOKIAN POWERPROOF	237	277	C, A, 72 ((
T430859	255/40 ZR18 99Y XL	NOKIAN POWERPROOF	345	404	C, A, 72 ((
T430865	225/40 ZR19 93Y XL	NOKIAN POWERPROOF	332	388	C, A, 69 (
T430866	235/40 ZR19 96Y XL	NOKIAN POWERPROOF	334	391	C, A, 72 ((
T430867	245/40 ZR19 98Y XL	NOKIAN POWERPROOF	309	362	C, A, 72 ((
T430868	255/40 ZR19 100Y XL	NOKIAN POWERPROOF	355	415	C, A, 72 ((
T430869	275/40 ZR19 101Y	NOKIAN POWERPROOF	418	489	C, A, 71 ((
T430874	245/40 ZR20 99Y XL	NOKIAN POWERPROOF	455	532	C, A, 72 ((
T430860	255/35 ZR18 94Y XL	NOKIAN POWERPROOF	269	315	C, A, 72 ((
T430870	225/35 ZR19 88Y XL	NOKIAN POWERPROOF	314	367	C, A, 69 (
T430871	235/35 ZR19 91Y XL	NOKIAN POWERPROOF	287	336	C, A, 72 ((
T430872	245/35 ZR19 93Y XL	NOKIAN POWERPROOF	373	436	C, A, 72 ((
T430873	255/35 ZR19 96Y XL	NOKIAN POWERPROOF	304	356	C, A, 72 ((
T430875	245/35 ZR20 95Y XL	NOKIAN POWERPROOF	371	434	C, A, 72 ((
T430876	255/35 ZR20 97Y XL	NOKIAN POWERPROOF	389	455	C, A, 72 ((
T430877	275/35 ZR20 102Y XL	NOKIAN POWERPROOF	453	530	C, A, 72 ((
T430878	275/30 ZR20 97Y XL	NOKIAN POWERPROOF	447	523	C, A, 72 ((
T431030	215/70 R16 100H	NOKIAN WETPROOF SUV	202	236	C, A, 68 (
T431031	225/70 R16 103H	NOKIAN WETPROOF SUV	212	248	C, A, 70 ((
T431032	235/70 R16 106H	NOKIAN WETPROOF SUV	197	230	C, A, 70 ((
T431033	245/70 R16 111H XL	NOKIAN WETPROOF SUV	219	256	B, A, 71 ((
T431034	265/70 R16 112H	NOKIAN WETPROOF SUV	247	289	C, A, 71 ((
T431035	215/65 R16 98V	NOKIAN WETPROOF SUV	188	220		
T431036	215/65 R16 102H XL	NOKIAN WETPROOF SUV	190	222	C, A, 69 (
T431038	215/65 R17 103V XL	NOKIAN WETPROOF SUV	220	257	C, A, 69 (
T431039	225/65 R17 102H	NOKIAN WETPROOF SUV	231	270	C, A, 70 ((

Artikal	Dimenzija	Model/profil	KM -PDV	KM +PDV	EU-std	Note
T431040	225/65 R17 106V XL	NOKIAN WETPROOF SUV	235	275	C, A, 71 ((
T431041	235/65 R17 108V XL	NOKIAN WETPROOF SUV	227	266	C, A, 71 ((
T431057	235/65 R17 108W XL	NOKIAN POWERPROOF SUV	231	270	C, A, 72 ((
T431042	245/65 R17 111H XL	NOKIAN WETPROOF SUV	274	321	C, A, 71 ((
T431043	255/65 R17 114H XL	NOKIAN WETPROOF SUV	270	316	B, A, 71 ((
T431044	265/65 R17 116H XL	NOKIAN WETPROOF SUV	270	316	B, A, 71 ((
T431037	235/60 R16 100H	NOKIAN WETPROOF SUV	204	239	C, A, 70 ((
T431045	215/60 R17 100V XL	NOKIAN WETPROOF SUV	225	263	C, A, 69 (
T431046	225/60 R17 103V XL	NOKIAN WETPROOF SUV	259	303	C, A, 71 ((
T431047	235/60 R17 102V	NOKIAN WETPROOF SUV	259	303	C, A, 70 ((
T431048	255/60 R17 106V	NOKIAN WETPROOF SUV	253	296	C, A, 71 ((
T431050	225/60 R18 104W XL	NOKIAN WETPROOF SUV	262	307	C, A, 71 ((
T431051	235/60 R18 103V	NOKIAN WETPROOF SUV	240	281		
T431058	235/60 R18 107W XL	NOKIAN POWERPROOF SUV	278	325	C, A, 72 ((
T431059	255/60 R18 112V XL	NOKIAN POWERPROOF SUV	270	316	B, A, 73 ((
T431052	265/60 R18 110V	NOKIAN WETPROOF SUV	316	370	C, A, 71 ((
T431049	235/55 R17 103V XL	NOKIAN WETPROOF SUV	258	302	C, A, 71 ((
T431053	215/55 R18 99V XL	NOKIAN WETPROOF SUV	266	311	C, A, 69 (
T431054	225/55 R18 98V	NOKIAN WETPROOF SUV	262	307	C, A, 70 ((
T431055	235/55 R18 100V	NOKIAN WETPROOF SUV	262	307	C, A, 70 ((
T431060	255/55 ZR18 109Y XL	NOKIAN POWERPROOF SUV	274	321	C, A, 73 ((
T431056	225/55 R19 103V XL	NOKIAN WETPROOF SUV	278	325	C, A, 71 ((
T431061	235/55 R19 105W XL	NOKIAN POWERPROOF SUV	322	377	C, A, 72 ((
T431062	255/55 R19 111W XL	NOKIAN POWERPROOF SUV	311	364	C, A, 73 ((
T431067	235/55 R20 102W	NOKIAN POWERPROOF SUV	559	654		
T431068	255/55 ZR20 110Y XL	NOKIAN POWERPROOF SUV	493	577	C, A, 73 ((
T431063	235/50 R19 99V	NOKIAN POWERPROOF SUV	276	323		
T431064	255/50 ZR19 107Y XL	NOKIAN POWERPROOF SUV	337	394	C, A, 73 ((
T431065	265/50 ZR19 110Y XL	NOKIAN POWERPROOF SUV	385	450	C, A, 73 ((
T431069	255/50 ZR20 109Y XL	NOKIAN POWERPROOF SUV	452	529	C, A, 73 ((
T431070	265/50 R20 111W XL	NOKIAN POWERPROOF SUV	532	622	C, A, 73 ((
T431071	275/50 R20 113W XL	NOKIAN POWERPROOF SUV	514	601	B, A, 73 ((
T431066	285/45 R19 111W XL	NOKIAN POWERPROOF SUV	356	417		
T431072	245/45 ZR20 103Y XL	NOKIAN POWERPROOF SUV	435	509	C, A, 72 ((
T431073	255/45 ZR20 105Y XL	NOKIAN POWERPROOF SUV	478	559	C, A, 73 ((
T431074	265/45 ZR20 108Y XL	NOKIAN POWERPROOF SUV	490	573	C, A, 73 ((
T431075	275/45 ZR20 110Y XL	NOKIAN POWERPROOF SUV	441	516	C, A, 73 ((
T431076	285/45 ZR20 112Y XL	NOKIAN POWERPROOF SUV	528	618	C, A, 73 ((
T431079	265/45 R21 108W XL	NOKIAN POWERPROOF SUV	555	649	C, A, 73 ((
T431080	275/45 ZR21 110Y XL	NOKIAN POWERPROOF SUV	443	518	C, A, 73 ((
T431077	275/40 ZR20 106Y XL	NOKIAN POWERPROOF SUV	388	454	C, A, 73 ((
T431081	255/40 ZR21 102Y XL	NOKIAN POWERPROOF SUV	520	608	C, A, 73 ((
T431082	265/40 ZR21 105Y XL	NOKIAN POWERPROOF SUV	517	605	C, A, 73 ((
T431083	275/40 ZR21 107Y XL	NOKIAN POWERPROOF SUV	550	644	C, A, 73 ((
T431084	295/40 ZR21 111Y XL	NOKIAN POWERPROOF SUV	524	613	C, A, 73 ((

Artikal	Dimenzija	Model/profil	KM -PDV	KM +PDV	EU-std	Note
T431078	315/35 ZR20 110Y XL	NOKIAN POWERPROOF SUV	540	632	C, A, 73 ((
T431085	295/35 ZR21 107Y XL	NOKIAN POWERPROOF SUV	463	542	C, A, 73 ((
T429225	185 R14 C 102/100S	NOKIAN cLINE VAN	169	198	C, A, 70 ((
T429226	185/75 R16 C 104/102S	NOKIAN cLINE CARGO	212	248	C, A, 70 ((
T429227	195/75 R16 C 107/105S	NOKIAN cLINE CARGO	193	226	C, A, 70 ((
T429228	205/75 R16 C 113/111S	NOKIAN cLINE CARGO	258	302	C, C, 70 ((
T429229	215/75 R16 C 116/114S	NOKIAN cLINE CARGO	289	338	C, C, 70 ((
T429230	225/75 R16 C 121/120R	NOKIAN cLINE CARGO	328	384	C, C, 70 ((
T429231	165/70 R14 C 89/87S	NOKIAN cLINE VAN	170	199	E, A, 70 ((
T429232	175/70 R14 C 95/93S	NOKIAN cLINE VAN	183	214	C, A, 70 ((
T429233	195/70 R15 C 104/102S	NOKIAN cLINE VAN	169	198	C, A, 70 ((
T429234	205/70 R15 C 106/104S	NOKIAN cLINE VAN	211	247	C, A, 70 ((
T429235	215/70 R15 C 109/107S	NOKIAN cLINE CARGO	242	283	C, C, 70 ((
T429236	225/70 R15 C 112/110S (1	NOKIAN cLINE CARGO	235	275	C, C, 70 ((
T429237	175/65 R14 C 90/88T	NOKIAN cLINE VAN	159	186	C, A, 70 ((
T429238	205/65 R15 C 102/100T	NOKIAN cLINE VAN	205	240	C, A, 70 ((
T429239	215/65 R15 C 104/102T	NOKIAN cLINE VAN	274	321	C, A, 70 ((
T429240	195/65 R16 C 104/102T	NOKIAN cLINE VAN	217	254	C, A, 70 ((
T429241	205/65 R16 C 107/105T	NOKIAN cLINE VAN	256	300	C, A, 70 ((
T429242	215/65 R16 C 109/107T	NOKIAN cLINE VAN	258	302	C, A, 71 ((
T429243	225/65 R16 C 112/110T	NOKIAN cLINE CARGO	285	333	C, C, 70 ((
T429244	235/65 R16 C 121/119R	NOKIAN cLINE CARGO	295	345	C, A, 68 (
T429989	185/60 R15 C 94/92T	NOKIAN cLINE VAN	223	261	C, A, 70 ((
T429245	195/60 R16 C 99/97T	NOKIAN cLINE VAN	212	248	C, A, 70 ((
T429246	215/60 R16 C 103/101T	NOKIAN cLINE VAN	279	326	C, A, 70 ((
T429247	215/60 R17 C 109/107T (1	NOKIAN cLINE VAN	312	365	C, A, 69 (
T429847	235/60 R17 C 117/115R	NOKIAN cLINE CARGO	318	372	C, C, 72 ((
T430770	225/55 R17 C 109/107T (1	NOKIAN cLINE VAN	321	376	C, A, 71 ((
T428438	LT215/85 R16 115/112S	NOKIAN ROTIIVA AT	283	331	E, C, 73 ((
T428200	LT235/85 R16 120/116R	NOKIAN ROTIIVA AT	316	370	E, C, 73 ((
T428204	LT235/80 R17 120/117R	NOKIAN ROTIIVA AT	390	456	E, C, 73 ((
T428178	235/75 R15 109T XL	NOKIAN ROTIIVA AT	247	289	C, E, 72 ((
T428439	LT235/75 R15 116/113S	NOKIAN ROTIIVA AT	230	269	E, C, 73 ((
T429388	LT225/75 R16 115/112S	NOKIAN ROTIIVA AT PLUS	289	338	E, C, 71 ((
T428186	245/75 R16 111S	NOKIAN ROTIIVA AT	309	362	B, E, 72 ((
T429389	LT245/75 R16 120/116S	NOKIAN ROTIIVA AT PLUS	322	377	E, C, 71 ((
T428189	265/75 R16 116S	NOKIAN ROTIIVA AT	333	390	C, E, 73 ((
T429390	LT265/75 R16 123/120S	NOKIAN ROTIIVA AT PLUS	341	399	E, A, 71 (
T428203	LT285/75 R16 122/119S	NOKIAN ROTIIVA AT	366	428	E, B, 74 ((
T428205	LT245/75 R17 121/118S	NOKIAN ROTIIVA AT	374	438	E, C, 73 ((
T430904	LT245/75 R17 121/118S	NOKIAN ROTIIVA AT PLUS	374	438	E, C, 71 ((
T428441	215/70 R16 100T	NOKIAN ROTIIVA AT	258	302	E, E, 72 ((
T428442	225/70 R16 107T XL	NOKIAN ROTIIVA AT	251	294	C, E, 72 ((
T428184	235/70 R16 109T XL	NOKIAN ROTIIVA AT	266	311	C, E, 72 ((
T428185	245/70 R16 111T XL	NOKIAN ROTIIVA AT	287	336	C, E, 72 ((

Artikal	Dimenzija	Model/profil	KM -PDV	KM +PDV	EU-std	Note
T428187	255/70 R16 111T	NOKIAN ROTIIVA AT	304	356	C, E, 73 ((
T428188	265/70 R16 112T	NOKIAN ROTIIVA AT	312	365	E, E, 73 ((
T428191	235/70 R17 111T XL	NOKIAN ROTIIVA AT	339	397	C, E, 72 ((
T428193	245/70 R17 110T	NOKIAN ROTIIVA AT	365	427	C, E, 72 ((
T429391	LT245/70 R17 119/116S	NOKIAN ROTIIVA AT PLUS	378	442	E, C, 71 ((
T428194	255/70 R17 112T	NOKIAN ROTIIVA AT	355	415	C, E, 73 ((
T428196	265/70 R17 115T	NOKIAN ROTIIVA AT	356	417	C, E, 73 ((
T429392	LT265/70 R17 121/118S	NOKIAN ROTIIVA AT PLUS	372	435	E, C, 71 ((
T429393	LT275/70 R17 114/110S	NOKIAN ROTIIVA AT PLUS	434	508	E, C, 71 ((
T429394	LT285/70 R17 121/118S	NOKIAN ROTIIVA AT PLUS	443	518	E, C, 71 ((
T429305	LT315/70 R17 121/118S	NOKIAN ROTIIVA AT PLUS	477	558	E, C, 71 ((
T431017	255/70 R18 113H	NOKIAN ROTIIVA AT	359	420	E, E, 73 ((
T429395	LT265/70 R18 124/121S	NOKIAN ROTIIVA AT PLUS	417	488	E, A, 71 (
T429303	LT275/70 R18 125/122S	NOKIAN ROTIIVA AT PLUS	492	576	E, A, 71 (
T429566	215/65 R16 102T XL	NOKIAN ROTIIVA AT	241	282	C, E, 72 ((
T428190	235/65 R17 108T XL	NOKIAN ROTIIVA AT	293	343	C, E, 72 ((
T428192	245/65 R17 111T XL	NOKIAN ROTIIVA AT	332	388	C, E, 72 ((
T428195	265/65 R17 116T XL	NOKIAN ROTIIVA AT	357	418	C, E, 73 ((
T430903	265/65 R18 114H	NOKIAN ROTIIVA AT	396	463	C, E, 73 ((
T428443	275/65 R18 116T	NOKIAN ROTIIVA AT	421	493	E, E, 73 ((
T429396	LT275/65 R18 123/120S	NOKIAN ROTIIVA AT PLUS	447	523	E, A, 71 (
T429304	LT275/65 R20 126/123S	NOKIAN ROTIIVA AT PLUS	536	627	E, A, 71 (
T431102	215/60 R17 C 109/107T	NOKIAN ROTIIVA AT	328	384	F, C, 73 ((
T430737	255/60 R18 112H XL	NOKIAN ROTIIVA AT	364	426	C, E, 73 ((
T428469	265/60 R18 114T XL	NOKIAN ROTIIVA AT	372	435	E, E, 73 ((
T428935	275/60 R20 115H	NOKIAN ROTIIVA AT	478	559	E, E, 72 ((
T428197	275/55 R20 117T XL	NOKIAN ROTIIVA AT	443	518	E, E, 72 ((
T430906	LT275/55 R20 120/117S	NOKIAN ROTIIVA AT PLUS	474	555	E, C, 71 ((
T430323	LT305/55 R20 121/118S	NOKIAN ROTIIVA AT PLUS	659	771	F, C, 71 ((
T431164	285/45 R22 114H XL	NOKIAN ROTIIVA AT	636	744	E, E, 73 ((
T428198	31x10.50 R15 LT 109S	NOKIAN ROTIIVA AT	297	347	E, C, 73 ((
T430155	LT235/80 R17 120/117Q	NOKIAN ROCKPROOF	451	528		
T430150	LT225/75 R16 115/112Q	NOKIAN ROCKPROOF	364	426		
T430151	LT245/75 R16 120/116Q	NOKIAN ROCKPROOF	385	450		
T430152	LT245/75 R17 121/118Q	NOKIAN ROCKPROOF	460	538		
T430146	LT245/70 R17 119/116Q	NOKIAN ROCKPROOF	455	532		
T430147	LT265/70 R17 121/118Q	NOKIAN ROCKPROOF	466	545		
T430156	LT285/70 R17 121/118Q	NOKIAN ROCKPROOF	484	566		
T430149	LT315/70 R17 121/118Q	NOKIAN ROCKPROOF	534	625		
T431029	35x12.50 R20 LT 121Q	NOKIAN ROCKPROOF	717	839		